

## **KNOWLEDGE INSTITUTE OF TECHNOLOGY**

(An AUTONOMOUS Institution)

Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai Accredited by NAAC with 'A' Grade | Accredited by NBA (B.E.: CSE, ECE, EEE & Mech.)

KIOT Campus, Kakapalayam (PO), Salem - 637 504, TN, India.

Ph: +91 427 2433 911, +91 98429 50323, Fax: +91 427 2433 999

Web: www.kiot.ac.in-

E-mail: directorsa@kiot.ac.in, pnkmech@kiot.ac.in

Dr.P.Navaneethakrishnan, M.E., MBA, Ph.D.

**Director** - Student Affairs

Professor - Mechanical Engineering

Ref: KIOT/EA/2019-20/191

10.05.2020

## **ENVIRONMENT AUDIT CERTIFICATE**

This is to certify that we have conducted an Environmental Audit in M/s. Muslim College of Education, Thiruvithancode on 10th MAY 2020. This audit process highlights the present CO<sub>2</sub> emission and methods adopted to neutralize the same in the college campus.

S.No.	<b>Description</b>	Type of fuel and their conversion process		
		Electrical energy consumed	Diesel	LPG
1	Annual Energy Consumption	8000 Units	100 Lit	2
2.	CO <sub>2</sub> Emission standards	0.95 kg/kWh	2.68 kg/lit	19.0 kg/cyl
3	Total CO <sub>2</sub> emission (tonne/Annum)	150 tonnes		
4	Total No. of students and staff	1800		
5	Per capita CO <sub>2</sub> emission per year	0.098 tonne (+)		
6	CO <sub>2</sub> neutralised due to Renewables	-		
7	No. of Matured Trees (1 tree absorbs 22 kg CO <sub>2</sub> /year)	400		
8	CO <sub>2</sub> neutralised due to trees	9.34 tonne (-)		
9	Per Capita CO <sub>2</sub> Emission to be Neutralized	0.096 t		

## Systems Audited

- Electricity consumption and generation
- ✓ Diesel consumption
- ✓ LPG consumption

## Systems Inspected

- ✓ Solid & E waste handling & Management
- ✓ Usage of chemical, salts & acids
- ✓ RO system

Audited and Accounted for May 2019 to May 2020

Yours Truly

Dr.P.NAVANEETHAKRISHNAN BEE Certified Energy Auditor Regd No: EA3643 5/83. Namakkalpalayam Road, Chennimalai - 638 051, Erode Dt.